



GROUP AGAINST SMOG & POLLUTION, INC.

Wightman School Community Building

5604 Solway Street, Suite 204

Pittsburgh, Pennsylvania 15217

Phone: (412) 325-7382; **Fax:** (412) 325-7390

Website: <http://www.gasp-pgh.org>

December 1, 2009

VIA E-MAIL PDF

Carl A. Dettlinger

Air Quality Program Document Manager

Allegheny County Health Department

301 39th Street

Pittsburgh, PA 15201-1891

Re: Request for Public Information Regarding Installation Permits Released for Public Comment on July 24 and July 31, 2009

Dear Carl:

Pursuant to Article XXI § 2101.07.d, the provision outlining the public's right to information, the Group Against Smog and Pollution, Inc. (GASP) is formally requesting all information ACHD relied on in determining the cost and technical feasibility of the following potential Reasonably Available Control Technologies/Reasonably Available Control Measures for the Liberty-Clairton PM2.5 attainment demonstration:

- advancing the shut down dates of US Steel Clairton Coke batteries 1, 2, and 3;
- advancing the shut down dates of US Steel Clairton Coke batteries 7, 8, and 9;
- requiring construction of an additional quench tower to control emissions from operations at the US Steel Clairton Coke facility.

If you have any questions concerning this request, please contact me at the above telephone and address. Thank you for your attention to this matter.

Sincerely,

Joe Osborne
Legal Director