



**TO** Air Quality Permit File SOOP # 63-00893  
Master Woodcraft Corporation / Washington Plant

**FROM** Sheila A. Shaffer   
Air Quality Engineering Specialist  
Bureau of Air Quality

**THROUGH** Barbara R. Hatch, P.E.   
Acting Air Quality Manager  
Bureau of Air Quality

**DATE** May 20, 2015

**RE** Comment and Response Document  
Chartiers Township, Washington County  
APS# 733480; AUTH# 854396; PF# 510747

On August 12, 2010, a State Only Operating Permit (SOOP) renewal application was received by the Department for Master Woodcraft Corporation / Washington Plant for its manufacturing of custom casework and architectural millwork located in Chartiers Township, Washington County. Master Woodcraft has complied with the municipal notification requirements contained in 25 Pa. Code §127.413 and the application fee requirements contained in 25 Pa. Code §127.703(b)(3). On January 13, 2011, the SOOP application was determined Administratively Complete. The previous issued operating permit was issued on March 16, 2006 and expired on March 16, 2011. Master Woodcraft has been operating under 25 Pa Code Section 127.446(c): The terms and conditions of an expired permit are automatically continued pending the issuance of a new permit when the permittee has submitted a timely and complete application and paid the fees required by Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

On October 3, 2014, Master Woodcraft submitted an updated Compliance Review Supplemental Form along with page one of the State Only Operating Permit Application to reflect the requested changes. Mr. James Sheehan, Secretary/Treasurer, will now hold the title of Responsible Official and Permit Contact Person.

On March 23, 2015, the Notice of Intent to Issue was sent to be published in the PA Bulletin for a 30-day public comment. The proposed Operating Permit renewal was submitted to Master Woodcraft for review as well as the Department's Air Quality Specialist. No comments were received.

### Recommendation

On July 12, 2013, a full compliance inspection was performed by Mr. Dennis Kozimer, Air Quality Specialist. Mr. Kozimer did not note any violations at the time of the inspection. It is my recommendation that the State Only Operating Permit renewal for Master Woodcraft Corporation / Washington Plant, SOOP 63-00893, be issued.